mPDF

Example 12. Paging html

```
<?php


$html = '

<pageheader name="myHeaderNoNum" content-left="My Book Title" content-center="myHeader1"
content-right="" header-style="font-family:sans-serif; font-size:8pt; color:#880000;"
header-style-right="font-size:12pt; font-weight:bold; font-style:italic; color:#088000;" line="on" />

<pageheader name="myHeaderNoNumEven" content-left="" content-center="myHeader1Even"
content-right="{DATE j-m-Y}" header-style="font-family:sans-serif; font-size:8pt; color:#000088;"
header-style-left="font-weight:bold; " line="on" />

<pageheader name="myHeader1" content-left="My Book Title" content-center="myHeader1"
content-right="{PAGENO}" header-style="font-family:sans-serif; font-size:8pt; color:#880000;"
header-style-right="font-size:12pt; font-weight:bold; font-style:italic; color:#088000;" line="on" />

<pageheader name="myHeader1Even" content-left="{PAGENO}" content-center="myHeader1Even"
content-right="{DATE j-m-Y}" header-style="font-family:sans-serif; font-size:8pt; color:#000088;"
header-style-left="font-weight:bold; " line="on" />


<htmlpageheader name="myHTMLHeader1" style="display:none">
<table width="100%" style="border-bottom: 1px solid #000000; vertical-align: bottom; font-family:
serif; font-size: 9pt; color: #000088;"><tr>
<td width="33%">Left header p <span style="font-size:14pt;">{PAGENO}</span></td>
<td width="33%" align="center"><img src="sunset.jpg" width="126px" /></td>
<td width="33%" style="text-align: right;"><span style="font-weight: bold;">Right header</span></td>
</tr></table>
</htmlpageheader>

<htmlpageheader name="myHTMLHeader1Even" style="display:none">
<table width="100%" style="border-bottom: 1px solid #000000; vertical-align: bottom; font-family:
serif; font-size: 9pt; color: #000088;"><tr>
<td width="33%"><span style="font-weight: bold;">Outer header</span></td>
<td width="33%" align="center"><img src="sunset.jpg" width="126px" /></td>
<td width="33%" style="text-align: right;">Inner header p <span
style="font-size:14pt;">{PAGENO}</span></td>
</tr></table>
</htmlpageheader>

<pagefooter name="myFooter1" content-left="My Book Title" content-center="myFooter1"
content-right="{PAGENO}" footer-style="font-family:sans-serif; font-size:8pt; font-weight:bold;
color:#008800;" footer-style-left="" line="on" />

<pagefooter name="myFooter1Even" content-left="{PAGENO}" content-center="myFooter1Even"
content-right="{DATE j-m-Y}" footer-style="font-family:sans-serif; font-size:10pt; color:#000880;"
footer-style-left="font-weight:bold; " line="on" />


<setpageheader name="myHeaderNoNum" page="O" value="on" show-this-page="1" />
<setpageheader name="myHeaderNoNumEven" page="E" value="on" />

<h1 style="margin-collapse: none; margin-top: 35mm">Introduction</h1>
<div>Introduction</div>
<p>Integer feugiat venenatis metus. Integer lacinia ultrices ipsum. Proin et arcu. Quisque varius
libero. Nullam id arcu. Aenean justo quam, accumsan nec, luctus id, pellentesque molestie, mi. Aliquam
sollicitudin feugiat eros. Nunc nisi turpis, consequat id, aliquet et, semper a, augue. Integer nisl
ipsum, blandit et, lobortis a, egestas nec, odio. Nulla dolor ligula, nonummy ac, vulputate a,
sollicitudin id, orci. <!--Donec laoreet nisl id magna. Curabitur mollis, quam eget fermentum
malesuada, risus tortor ullamcorper dolor, nec placerat nisi urna non pede. Aliquam pretium, leo in
```

```
interdum interdum, ipsum neque accumsan lectus, ac fringilla dui ipsum sed justo. In tincidunt risus
convallis odio egestas luctus. Integer volutpat. Donec ultricies, leo in congue iaculis, dolor neque
imperdiet nibh, vitae feugiat mi enim nec sapien. -->Aenean turpis lorem, consequat quis, varius in,
posuere vel, eros. Nulla facilisi.</p>

<tocpagebreak toc-orientation="landscape" font="mono" font-size="12" indent="5" paging="on" links="on"
resetpagenum="1" suppress="off" pagenumstyle="1" orientation="portrait" margin-top="55mm"
odd-header-name="myHeader1" odd-header-value="1" even-header-name="html_myHTMLHeader1Even"
even-header-value="1" odd-footer-name="myFooter1" odd-footer-value="1" even-footer-name="myFooter1Even"
even-footer-value="1"  toc-odd-header-name="myHeaderNoNum" toc-odd-header-value="1"
toc-even-header-name="myHeaderNoNumEven" toc-even-header-value="1" toc-odd-footer-name=""
toc-odd-footer-value="-1" toc-even-footer-name="" toc-even-footer-value="-1" />

<h1>Section 2<tocentry content="Section 2" /></h1>
<div>Section 2</div>
<p>Integer feugiat venenatis metus. Integer lacinia ultrices ipsum. Proin et arcu. Quisque varius
libero. Nullam id arcu. Aenean justo quam, accumsan nec, luctus id, pellentesque molestie, mi. Aliquam
sollicitudin feugiat eros. Nunc nisi turpis, consequat id, aliquet et, semper a, augue. Integer nisl
ipsum, blandit et, lobortis a, egestas nec, odio. Nulla dolor ligula, nonummy ac, vulputate a,
sollicitudin id, orci. Donec laoreet nisl id magna. Curabitur mollis, quam eget fermentum malesuada,
risus tortor ullamcorper dolor, nec placerat nisi urna non pede. Aliquam pretium, leo in interdum
interdum, ipsum neque accumsan lectus, ac fringilla dui ipsum sed justo. In tincidunt risus convallis
odio egestas luctus. Integer volutpat. Donec ultricies, leo in congue iaculis, dolor neque imperdiet
nibh, vitae feugiat mi enim nec sapien. Aenean turpis lorem, consequat quis, varius in, posuere vel,
eros. Nulla facilisi.</p>

<pagebreak type="NEXT-ODD" margin-left="60mm" margin-right="40mm" margin-top="55mm"
margin-bottom="30mm" margin-header="12mm" margin-footer="12mm" odd-header-name="html_myHTMLHeader1"
odd-header-value="1" even-header-name="myHeader1Even" even-header-value="1" odd-footer-name="myFooter1"
odd-footer-value="1" even-footer-name="myFooter1Even" even-footer-value="1" />

<h1>Section 3<tocentry content="Section 3" /></h1>
<div>Section 3</div>
<p>Integer feugiat venenatis metus. Integer lacinia ultrices ipsum. Proin et arcu. Quisque varius
libero. Nullam id arcu. Aenean justo quam, accumsan nec, luctus id, pellentesque molestie, mi. Aliquam
sollicitudin feugiat eros. Nunc nisi turpis, consequat id, aliquet et, semper a, augue. Integer nisl
ipsum, blandit et, lobortis a, egestas nec, odio. Nulla dolor ligula, nonummy ac, vulputate a,
sollicitudin id, orci. Donec laoreet nisl id magna. Curabitur mollis, quam eget fermentum malesuada,
risus tortor ullamcorper dolor, nec placerat nisi urna non pede. Aliquam pretium, leo in interdum
interdum, ipsum neque accumsan lectus, ac fringilla dui ipsum sed justo. In tincidunt risus convallis
odio egestas luctus. Integer volutpat. Donec ultricies, leo in congue iaculis, dolor neque imperdiet
nibh, vitae feugiat mi enim nec sapien. Aenean turpis lorem, consequat quis, varius in, posuere vel,
eros. Nulla facilisi.</p>

<pagebreak orientation="landscape" type="NEXT-ODD" margin-left="60mm" margin-right="40mm"
margin-top="55mm" margin-bottom="30mm" margin-header="12mm" margin-footer="12mm" />

<h1>Section 4<tocentry content="Section 4" /></h1>
<div>Section 4</div>
<p>Integer feugiat venenatis metus. Integer lacinia ultrices ipsum. Proin et arcu. Quisque varius
libero. Nullam id arcu. Aenean justo quam, accumsan nec, luctus id, pellentesque molestie, mi. Aliquam
sollicitudin feugiat eros. Nunc nisi turpis, consequat id, aliquet et, semper a, augue. Integer nisl
ipsum, blandit et, lobortis a, egestas nec, odio. Nulla dolor ligula, nonummy ac, vulputate a,
sollicitudin id, orci. Donec laoreet nisl id magna. Curabitur mollis, quam eget fermentum malesuada,
risus tortor ullamcorper dolor, nec placerat nisi urna non pede. Aliquam pretium, leo in interdum
interdum, ipsum neque accumsan lectus, ac fringilla dui ipsum sed justo. In tincidunt risus convallis
odio egestas luctus. Integer volutpat. Donec ultricies, leo in congue iaculis, dolor neque imperdiet
nibh, vitae feugiat mi enim nec sapien. Aenean turpis lorem, consequat quis, varius in, posuere vel,
eros. Nulla facilisi.</p>


<pagebreak orientation="portrait" type="NEXT-ODD" margin-left="40mm" margin-right="20mm"
odd-header-name="myHeader1" odd-header-value="1" even-header-name="myHeader1Even" even-header-value="1"
odd-footer-name="myFooter1" odd-footer-value="1" even-footer-name="myFooter1Even" even-footer-value="1"
suppress="off" />


<h1>Section 5<tocentry content="Section 5" /></h1>
<div>Section 5</div>
<p>Integer feugiat venenatis metus. Integer lacinia ultrices ipsum. Proin et arcu. Quisque varius
```

```
libero. Nullam id arcu. Aenean justo quam, accumsan nec, luctus id, pellentesque molestie, mi. Aliquam
sollicitudin feugiat eros. Nunc nisi turpis, consequat id, aliquet et, semper a, augue. Integer nisl
ipsum, blandit et, lobortis a, egestas nec, odio. Nulla dolor ligula, nonummy ac, vulputate a,
sollicitudin id, orci. Donec laoreet nisl id magna. Curabitur mollis, quam eget fermentum malesuada,
risus tortor ullamcorper dolor, nec placerat nisi urna non pede. Aliquam pretium, leo in interdum
interdum, ipsum neque accumsan lectus, ac fringilla dui ipsum sed justo. In tincidunt risus convallis
odio egestas luctus. Integer volutpat. Donec ultricies, leo in congue iaculis, dolor neque imperdiet
nibh, vitae feugiat mi enim nec sapien. Aenean turpis lorem, consequat quis, varius in, posuere vel,
eros. Nulla facilisi.</p>

';

//==============================================================
//==============================================================
//==============================================================
include("../mpdf.php");
$mpdf=new mPDF('c');

$mpdf->mirrorMargins = true;

$mpdf->SetDisplayMode('fullpage','two');

$mpdf->WriteHTML($html);

$mpdf->Output();
exit;
//==============================================================
//==============================================================
//==============================================================
//==============================================================
//==============================================================


?>
```